

Doc Name:	Material Safety Data Sheet (MSDS) for Quantiplus® Beta thalassemia Qualitative PCR Kit (Sequencing based PCR Kit)		
Doc No.	MSDS/HL/015	Ver No:00	Effective from: 01/11/23

1	Company identification	HLSS Manufacturing Pvt Ltd Plot No's M14, M15, M16, TSIIC Medical device park Sulthanpur villiage, Ameenpur Mandal, Sangareddy Dist, TS-502319 Emergency Contact Tel: +91-08413-232256/ +91 9052226226 Email: info@huwellifesciences.com	
		http://www.huwellifesciences.in	
2	Product identification		
2.1	Name of the Product	:Quantiplus Beta thalassemia Qualitative PCR Kit (Sequencing based PCR Kit)	
2.2	Product Code	: SEQ-βTH-25 , SEQ-βTH-50 ,SEQ-βTH-100	
2.3	Pack size (No. of rxns)	: 25 Tests, 50 Test , 100 Test	
2.4	Intended use:	Quantiplus® Beta Thalassemia PCR sequencing kit, is an in vitro nucleic acid amplification test based on conventional qualitative PCR and DNA sequencing for the detection of sickle cell and β -Globin mutations [FS 8/9 (+g), Codon 15 (g>a), Codon 30 (g>a), IVS1-1 (g>t), IVS1-5 (g>c), FS 41/42 (-cttt), Hbs (g>a), HbE (g>a)], in human DNA. The amplified products then have to be purified from Agarose gel followed by automated DNA sequencing.	
2.5	Composition/ Information on reagents:	The product contains general buffer, dNTP's, amplification mix, primers and MgCl ₂ with non-hazardous properties. Note: This product is Research Use only. This product must be used by scientists/ laboratory technicians with strong knowledge on molecular biology as per Good Laboratory practice (GLP) and product insert/instruction manual.	
3	Hazards identification	Significant health effects are not anticipated from routine use of this kit when following the precautions listed within this MSDS and the kit specific package insert. None of the components listed within this kit are considered hazardous as defined by the Occupational Safety and Health Administration (OSHA). OSHA Hazards Inhalation Ingestion Skin Contact Eye Contact May be harmful. Skin contact Eye Contact May cause irritation.	
4	First-Aid Measures	For all incidents, a medical exam is desirable	
		Inhalation : No information available.	

Page 1 of 3



Doc Na	me:	Material Safety I based PCR Kit)	Data Sheet (MSDS) for	Quantiplus® Beta thalassemia	Qualitative PCR Kit (Sequencing
Doc No.		MSDS/HL/015		Ver No:00	Effective from: 01/11/23
			Skin Contact : '	May Induce immediate vom Wash copiously with water a Flush eyes copiously with wa	
5 Fire-fighting Measures		Extinguishing media: Use any mean suitable to extinguish the surrounding fire Un-extinguishing media: No information available Special hazards of product: No information available Protective equipment For fire fighting: Carry an autonomous respiratory protection apparatus and appropriate protection clothes			
6 Accidental release Measures		Individual Precaution: Use an individual protection equipment Environmental Precaution: If incident, let flow run copiously Method of cleaning: Clean with an inert absorbent			
storage collab collor or clir far		No specific recommendation is requested. Always store in frozen condition, Observe all conditions described in the user manual and on the labels. As with all chemical and biological substances, avoid getting the components within this kit spilled on you or into your body. Do not eat or drink while using this kit. This kit should be handled only by qualified clinical or laboratory employees trained on the use of this kit and who are familiar with the potential hazards. Universal precautions to be followed when handling and working with this kit.			
8	Expo	xposure controls			
8.1	Expos	sure limits	: No information available		
9		onnel ection	Respiratory protection: No information available Hands protection: Wear water-proof gloves Eyes protection: Use chemical safety goggles Skin protection: Wear lab coat Hygiene measures: Follow good laboratory hygiene practices and security Instructions		
10	Chen	ical and nical erties			
10.1		cal state	: Liquid Chemical, physical, and toxicological properties have not been thoroughly investigated		
11	Stabi react	lity and ivity	Stability: Stable under conditions described in the Product insert Materials to avoid: No information available Hazardous decomposition Products: No information available		
12	1	cological mation	Potential effects on health Eyes : No information available Skin : No information available		

Page 2 of 3

Caution



Doc Nar	me: Material Safety based PCR Kit)	erial Safety Data Sheet (MSDS) for Quantiplus® Beta thalassemia Qualitative PCR Kit (Sequencing ed PCR Kit)			
Doc No.	MSDS/HL/015		Ver No:00	Effective from: 01/11/23	
		Inhalation Ingestion		 ation available ation available	
13	Ecological information	Special Effects Carcinogen Mutagen Toxicity for reproduct Sensitization Mobility Persistence/degrada Bioaccumulation Aquatic Toxicity	: No information : No information : No information : No information : Intrinsicall : No information : No informations & requirements : D	ation available ispose in accordance with	
14	Transportation information		ne product is not dangerous. Follow IATA regulations		
15	Regulatory information	No information available			
16	Other Information	HLSS Manufacturing Pvt Ltd assumes no liability for damages resulting from handling or being in contact with this product. Customer is solely responsible for improper usage of this product other than for what this product is designed to use. The kit and its components may present unknown hazards and should be used with caution. Improper use and/or inappropriate combination with other products and substances may produce harmful results.			
	1	-E	nd-		