

Doc Name:	Material Safety Data Sheet (MSDS) for Quantiplus® JCV Virus Quantitation Kit (Real Time Quantitative PCR Kit)		
Doc No.	MSDS/HL/021	Ver No:00	Effective from: 01/11/23

1	Company identification	HLSS Manufacturing Pvt Ltd Plot No's M14, M15, M16, TSIIC Medical device park Sulthanpur villiage, Ameenpur Mandal, Sangareddy Dist, TS-502319 Emergency Contact Tel: +91-08413-232256/ +91 9052226226 Email: info@huwellifesciences.com http://www.huwellifesciences.in
2	Product identification	
2.1	Name of the Product	Quantiplus® JCV Virus Quantitation Kit (Real Time Quantitative PCR Kit)
2.2	Product Code	: QT-JCV-25, QT-JCV-50
2.3	Pack size (No. of rxns)	: 25 Tests, 50 Tests
2.4	Intended use:	Quantiplus® JC Virus Quantitation Kit is a Real-Time PCR based in vitro diagnostic assay for the detection and quantitation of John Cunningham Virus in human plasma, urine and cerebro spinal fluid (CSF). The test is used to monitor active viral infection. The kit consists of amplification mix along with specific primers and probes (PPM) for JCV and internal control, internal control mix , quantitation standards (JCQS1-JCQS4), along with molecular biology grade water (to be used as negative control). The internal control mix (Huwel IC-B Mix) is a second amplification system used to identify possible PCR inhibition without affecting the analytical sensitivity of the assay.
2.5	Composition/ Information on reagents:	The product contains general buffer, dNTP's, ready mix containing amplification mix with primer and probes and MgCl ₂ with non-hazardous properties. Note : <i>This product is Research Use only. This product must be used by scientists/ laboratory technicians with strong knowledge on molecular biology as per Good Laboratory practice (GLP) and product insert/ instruction manual.</i>
3	Hazards identification	Significant health effects are not anticipated from routine use of this kit when following the precautions listed within this MSDS and the kit specific package insert. None of the components listed within this kit are considered hazardous as defined by the Occupational Safety and Health Administration (OSHA). OSHA Hazards : No Known OSHA Hazards Inhalation : No information available. Ingestion : May be harmful. Skin Contact : No information available.

Caution

If you have any further questions about this MSDS, please contact our Technical Support by email: info@huwellifesciences.in

Doc Name:	Material Safety Data Sheet (MSDS) for Quantiplus® JCV Virus Quantitation Kit (Real Time Quantitative PCR Kit)		
Doc No.	MSDS/HL/021	Ver No:00	Effective from: 01/11/23
		Eye Contact	: May cause irritation.
4	First-Aid Measures	For all incidents, a medical exam is desirable Inhalation : No information available. Ingestion : May Induce immediate vomiting, seek medical advice Skin Contact : Wash copiously with water and soap. Eye Contact : Flush eyes copiously with water and seek medical advice	
5	Fire-fighting Measures	Extinguishing media: Use any mean suitable to extinguish the surrounding fire Un-extinguishing media : No information available Special hazards of product: No information available Protective equipment For fire fighting: Carry an autonomous respiratory protection apparatus and appropriate protection clothes	
6	Accidental release Measures	Individual Precaution: Use an individual protection equipment Environmental Precaution: If incident, let flow run copiously Method of cleaning: Clean with an inert absorbent	
7	Handling and storage	No specific recommendation is requested. Always store in frozen condition, Observe all conditions described in the user manual and on the labels. As with all chemical and biological substances, avoid getting the components within this kit spilled on you or into your body. Do not eat or drink while using this kit. This kit should be handled only by qualified clinical or laboratory employees trained on the use of this kit and who are familiar with the potential hazards. Universal precautions to be followed when handling and working with this kit.	
8	Exposure controls		
8.1	Exposure limits	: No information available	
9	Personnel Protection	Respiratory protection : No information available Hands protection: Wear water-proof gloves Eyes protection : Use chemical safety goggles Skin protection : Wear lab coat Hygiene measures: Follow good laboratory hygiene practices and security Instructions	
10	Physical and Chemical properties		
10.1	Physical state	: Liquid Chemical, physical, and toxicological properties have not been thoroughly investigated	
11	Stability and reactivity	Stability: Stable under conditions described in the Product insert Materials to avoid: No information available Hazardous decomposition Products: No information available	

Caution

If you have any further questions about this MSDS, please contact our Technical Support by email: info@huwelllifesciences.in

Doc Name:	Material Safety Data Sheet (MSDS) for Quantiplus® JCV Virus Quantitation Kit (Real Time Quantitative PCR Kit)		
Doc No.	MSDS/HL/021	Ver No:00	Effective from: 01/11/23
12	Toxicological information	<u>Potential effects on health</u> Eyes : No information available Skin : No information available Inhalation : No information available Ingestion : No information available <u>Special Effects</u> Carcinogen : No information available Mutagen : No information available Toxicity for reproduction : No information available Sensitization : No information available	
13	Ecological information	Mobility : No information available Persistence/degradation : Intrinsically biodegradable Bioaccumulation : No information available Aquatic Toxicity : No information available Disposal Considerations & requirements : Dispose in accordance with state and local regulations	
14	Transportation information	The product is not dangerous. Follow IATA regulations	
15	Regulatory information	No information available	
16	Other Information	HLSS Manufacturing Pvt Ltd assumes no liability for damages resulting from handling or being in contact with this product. Customer is solely responsible for improper usage of this product other than for what this product is designed to use. The kit and its components may present unknown hazards and should be used with caution. Improper use and/or inappropriate combination with other products and substances may produce harmful results.	
-End-			

Caution

Page 3 of 3

If you have any further questions about this MSDS, please contact our Technical Support by email: info@huwellifesciences.in