

Doc Name:	Material Safety Data Sheet (MSDS) for Quantiplus® Multiplex COVID-19 Fast PCR Kit (Real Time Qualitative PCR Kit)		
Doc No.	MSDS/HL/013	Ver No:00	Effective from: 1/11/23

1	Company	HISS Manufacturing D	/t td	
*	identification	HLSS Manufacturing Pvt Ltd Plot No's M14, M15, M16, TSIIC Medical device park		
	identification	Sulthanpur villiage, Ameenpur Mandal, Sangareddy Dist, TS-502319		
		Emergency Contact Tel: +91-08413-232256/		
		+91 9052226226		
		Email: <u>info@huwellifesciences.com</u> http://www.huwellifesciences.in		
2	Product	<u>nttp://www.nuweimes</u>	<u>sciences.m</u>	
Z	identification			
2.1	Name of the Product	: Quantiplus [®] Multiplex COVID-19 Fast PCR Kit (Real Time Qualitative		
	hame of the Froduct	PCR Kit)		
2.2	Product Code	: QL-MCF-100		
2.3	Pack size (No. of	: 100 Tests		
2.4	rxns) Intended use:	Quantiplus [®] Multiplex COVID-19 Fast PCR Kit is a Real-Time PCR based in		
2.4	Intended use.		or detection of COVID-19 in human nasopharyngeal	
		swab extracts, deep	cough sputum, etc. and lower respiratory tract	
			gation fluid, etc.). The kit contains ready to use	
			Probe Mix and Amplification Mix for CR amplification. The kit simultaneously detects two	
		different genes of SA	RS-CoV-2, ORF1ab (FAM) and N gene (HEX/VIC)	
			ous B2M/ Beta-2 micro globulin (Texas Red).	
2.5	Composition/		eneral buffer, dNTP's, amplification mix, primer and	
	Information on	probes and $MgCl_2$ with non-hazardous properties.		
	reagents:	Note : This product must be used for Invitro Diagnostic Use only. This		
		product must be used by scientists/ laboratory technicians with strong		
		knowledge on molecular biology as per Good Laboratory practice (GLP) and		
		product insert/ instruction manual.		
3	Hazards	Significant health effects are not anticipated from routine use of this kit		
-	identification	when following the precautions listed within this MSDS and the kit specific		
			of the components listed within this kit are	
		considered hazardous as defined by the Occupational Safety and Health		
		Administration (OSHA).		
		OSHA Hazards	: No Known OSHA Hazards	
		Inhalation	: No information available.	
		Ingestion Skin Contact	: May be harmful.	
		Eye Contact	: No information available.	
4	First-Aid Measures	Eye Contact: May cause irritation.For all incidents, a medical exam is desirable		
-	THEASULES			
		Inhalation : No information available.		
			Induce immediate vomiting, seek medical advice no copiously with water and soap.	
		Skin Contact : Wash	i copiousiy with water and soap.	

Caution

Page 1 of 3

If you have any further questions about this MSDS, please contact our Technical Support by email: info@huwellifesciences.in



Doc Name:	Material Safety Data Sheet (MSDS) for Quantiplus® Multiplex COVID-19 Fast PCR Kit (Real Time Qualitative PCR Kit)		
Doc No.	MSDS/HL/013	Ver No:00	Effective from: 1/11/23

		Eye Contact : Flush eyes copiously with water and seek medical advice		
5	Fire-fighting Measures	Extinguishing media: Use any mean suitable to extinguish the surrounding fire Un-extinguishing media : No information available Special hazards of product: No information available Protective equipment For fire fighting: Carry an autonomous respiratory		
6	Accidental release	protection apparatus and appropriate protection clothesIndividual Precaution: Use an individual protection equipment		
-	Measures	Environmental Precaution: If incident, let flow run copiously Method of cleaning: Clean with an inert absorbent		
7	Handling and storage	No specific recommendation is requested. Always store in frozen condition, Observe all conditions described in the user manual and on the labels. As with all chemical and biological substances, avoid getting the components within this kit spilled on you or into your body. Do not eat or drink while using this kit. This kit should be handled only by qualified clinical or laboratory employees trained on the use of this kit and who are familiar with the potential hazards. Universal precautions to be followed when handling and working with this kit.		
8	Exposure controls			
8.1	Exposure limits	: No information available		
9	Personnel Protection	Respiratory protection : No information available Hands protection: Wear water-proof gloves Eyes protection : Use chemical safety goggles Skin protection : Wear lab coat Hygiene measures: Follow good laboratory hygiene practices and security Instructions		
10	Physical and Chemical properties			
10.1	Physical state	: Liquid Chemical, physical, and toxicological properties have not been thoroughly investigated		
11	Stability and reactivity	Stability: Stable under conditions described in the Product insert Materials to avoid: No information available Hazardous decomposition Products: No information available		
12	Toxicological information	Potential effects on healthEyes: No information availableSkin: No information availableInhalation: No information availableIngestion: No information available		

Caution

Page 2 of 3

If you have any further questions about this MSDS, please contact our Technical Support by email: info@huwellifesciences.in



Doc Name:	Material Safety Data Sheet (MSDS) for Quant PCR Kit)	iplus® Multiplex COVID-19 Fa	st PCR Kit (Real Time Qualitative
Doc No.	MSDS/HL/013	Ver No:00	Effective from: 1/11/23

		1		
		Special Effects		
		Carcinogen	: No information available	
		Mutagen	: No information available	
		Toxicity for reproduction	: No information available	
		Sensitization	: No information available	
13	Ecological	Mobility	: No information available	
	information	Persistence/degradation	: Intrinsically biodegradable	
		Bioaccumulation	: No information available	
		Aquatic Toxicity	: No information available	
		Disposal Considerations & requirements : Dispose in accordance with		
		state and local regulations		
14	Transportation	The product is not dangerous. Follow IATA regulations		
	information			
15	Regulatory	No information available		
	information			
16	Other Information	HLSS Manufacturing Pvt Ltd assumes no liability for damages resulting from handling or being in contact with this product. Customer is solely responsible for improper usage of this product other than for what this product is designed to use. The kit and its components may present unknown hazards and should be used with caution. Improper use and/or inappropriate combination with other products and substances may produce harmful results.		
-End-				

If you have any further questions about this MSDS, please contact our Technical Support by email: info@huwellifesciences.in